

FASTFIT

2112 N95 Flat Fold Particulate Respirator



Folded | Molded | Folded

FastFit combines the convenience of a flat fold with the comfort of a contour molded mask. FastFit opens quickly and easily and contours comfortably to your face. It then simply refolds for storage.

Packaged For Convenience

Individually wrapped for hygiene, it'll be handy and clean when you need it. Packed in a dispenser style box for quick and easy access when and where you need them.

Easy Fit, More Comfort

Contour molded nose bridge with a soft foam nose cushion provides the wearer an easy comfortable fit. Softspun® lining gives added comfort and durability. There's no metal noseband to adjust and the seal is maintained without pressure points

Last Longer, Use Fewer

The Dura-Mesh® shell, exclusive to Moldex, protects the filter media so it stays cleaner-looking longer. The shell resists collapsing, even in heat and humidity so the respirator holds its shape longer, resulting in fewer respirators used and lower costs.

Applications

Hot, humid and dusty environments such as welding, soldering and brazing, grinding, sanding, sweeping, bagging, stone quarrying, metal machining, cement, underground mining, polishing, buffing, lime, poultry and textiles. No oils present.

2112 N95 FLAT FOLD DISPOSABLE RESPIRATOR

- Flat fold convenience with contour molded comfort
- Quick and easy to put on, unlike any other flat fold
- Individually packaged for hygiene
- Packed in a dispenser box for easy access
- Exclusive Dura-Mesh® shell resists collapsing in heat and humidity
- Molded nose bridge with soft foam nose cushion increases comfort and seals easily without a metal noseband
- Softspun® lining for increased comfort and durability
- Proven durability and cost savings
- Meets heat and flame resistance in accordance with ANSI/ISEA 110-2003 Section 7.11.1
- NIOSH certified to have a filter efficiency of 95% or greater for non-oil based particulates
- Certified under 42CFR84
- 100% PVC Free



MOLDEX
Ideas that wear well.

IMPORTANT NOTICE TO USERS

You are responsible to understand and follow all warnings, restrictions and other information contained in the instruction manual before you enter a contaminated work area. Failure to do so may result in sickness or death.

APPLICATIONS

USE AGAINST

1. Particulate aerosols free of oil.

DO NOT USE AGAINST

1. Concentrations of contaminants which are unknown, or are immediately dangerous to life or health.
2. Concentrations of particulates which exceed the maximum use concentration or 10 times the OSHA Permissible Exposure Limit (or Exposure Standard), whichever is lower.
3. Gases, vapors, asbestos, paint spray, sandblasting or particulate materials which generate harmful vapors.
4. Oil-based mists.

RESTRICTIONS

1. This respirator does not supply oxygen and must not be used in atmospheres containing less than 19.5% oxygen.
2. Do not remain in contaminated area if any physical distress occurs, for example breathing difficulty, dizziness or nausea.
3. Leave contaminated area and replace respirator if it is damaged, distorted, a proper fit can not be obtained or breathing becomes difficult.
4. Prior to each use, carefully inspect the entire respirator, including filter media and strap/weld attachment area for tears and damage. Staple or strap/weld attachment perforations do not affect respirator performance.
5. Do not alter, modify, or abuse this respirator.
6. Store unused respirators in box/bag in a clean, dry, non-contaminated area.
7. Dispose of respirator according to your employer's policy and local regulations.
8. Dispose no later than thirty days after first use.
9. Use respirator before the "use by" expiration date printed on box/bag.
10. If used for welding, wear appropriate eye and face protection.

WARNINGS TO USER

1. Follow all instructions and warnings on the use of this respirator and wear during all times of exposure. Failure to do so will reduce respirator effectiveness, wearer protection and may result in sickness or death.
2. Before use, the user must first be trained by the employer in proper respirator use, in accordance with applicable safety and health standards, for the contaminant and exposure level in the assigned work area.
3. The particulates and other contaminants which can be dangerous to your health include those which you cannot see, taste, or smell.
4. This product has not been sold with warnings or use instructions for personnel involved in healthcare or related situations, where there may be the possibility of contact with disease or biological hazards. If you are considering such uses, first call the Moldex Technical Service Dept., +1 (310) 837-6500 or +1 (800) 421-0668, ext. 512/550.

TECHNICAL SERVICE LINE

Moldex maintains a toll-free Technical Service Line to answer questions about the use of Moldex respirators, contaminants and regulations. If you have any questions call +1 (800) 421-0668 or +1 (310) 837-6500, ext. 512/550.

PACKAGING

Description	Size	Quantity	Case
2112 N95	M/L	20 per Box	10 Boxes per Case

LIMITED WARRANTY – IMPORTANT NOTICE TO PURCHASER

This limited warranty is made in lieu of the warranties of merchantability, fitness for particular purposes and all other warranties, express or implied. There are no other warranties which extend beyond the description on the face hereof. The physical standards and specifications of Moldex will be met by products sold. Exclusive Remedies: damages for the breach of this limited warranty are limited to the replacement of such quantity of Moldex products proved to be defectively manufactured. Except as provided above, Moldex shall not be liable or responsible for any loss, damage, or liability, direct, indirect, incidental, special, or consequential, arising out of sale, use, or misuse, or the inability to use products by the user.

DISTRIBUTED BY:

MOLDEX-METRIC, INC.

10111 W. Jefferson Blvd., Culver City, CA 90232
Tel: +1 (800) 421-0668 or +1 (310) 837-6500
Fax: +1 (310) 837-9563
Email: sales@moldex.com www.moldex.com

CANADIAN CUSTOMER SERVICE

Tel: +1 (800) 421-0668, Ext. 517
Fax: +1 (310) 837-9563

Moldex, Ideas that wear well and the PVC-Free logo are registered trademarks
FastFit is a trademark of Moldex-Metric, Inc.
U.S. Patents Pending.



Printed on Recycled Paper

2112-807 REV A 09/10



MOLDEX
Ideas that wear well.