

AIRWAVE™
DISPOSABLE RESPIRATORS
MODELS 4200 & 4201



MOLDEX®
Ideas that wear well.™



AIRWAVE™ DISPOSABLE RESPIRATORS

Breathing is now a breeze™

More air. More wear.

AirWave™ is the next wave in respiratory protection – a revolutionary step forward from today's disposable respirators. Its patent pending wave technology allows easier* breathing for cool comfort, providing the protection you need all day long. Plus, it delivers on the Moldex® commitment – comfortable, durable respirators that increase compliance and decrease costs.

- Exclusive easy-breathing wave design
- Less resistance, better breathability*
- Ideal where unvalved respirators are preferred
- Less cost than valved respirators
- Longer wear means less cost



*Testing conducted at 85 liters per minute in accordance with NIOSH 42 Part 84.180 initial resistance requirements. Resistance will vary with actual use conditions.

Meets heat and flame resistance in accordance with ANSI/ISEA 110-2003 Section 7.11.1.



Order Form:

Model #	Size	Description	Display	Case	MSRP Per Mask	Your Price Per Mask	Order Quantity
4200	M/L	AirWave P2 Disposable Respirator	10 per Box	8 Boxes			
4201	Small	AirWave P2 Disposable Respirator	10 per Box	8 Boxes			

Savings Calculator for Valved Users:

	Current Respirator	Moldex AirWave Respirator	Savings
Mask Model #		4201 or 4200	
Price per Mask			

Savings Calculator for Unvalved Users:

00000

	Current Respirator	Moldex AirWave Respirator
Company: _____	Model # _____	Model # _____
1. Average # of respirators per employee per day	_____	_____
2. Total # of respirators used per day (#1 x total number of users)	_____	_____
3. Total # of respirators used per year (#2 x 260 days)	_____	_____
4. Cost per respirator	_____	_____
5. Total respirator cost per year (#3 x #4)	a _____	b _____
Total annual savings (#5a – #5b)	_____	_____

USE AGAINST

1. Particulate aerosols free of oil.

DO NOT USE AGAINST

1. Concentrations of contaminants which are unknown, or are immediately dangerous to life or health.
2. Concentrations of particulates which exceed the maximum use concentration or 10 times the OSHA Permissible Exposure Limit, whichever is lower.
3. Gases, vapors, asbestos, paint spray, sandblasting or particulate materials which generate harmful vapors.
4. Oil-based mists.

RESTRICTIONS

1. This respirator does not supply oxygen and must not be used in atmospheres containing less than 19.5% oxygen.
2. Do not remain in contaminated area if any physical distress occurs, for example breathing difficulty, dizziness or nausea.
3. Leave contaminated area and replace respirator if it is damaged, distorted, a proper fit can not be obtained or breathing becomes difficult.
4. Prior to each use, carefully inspect the entire respirator, including filter media and strap/weld attachment area for tears and damage. Staple or strap/weld attachment perforations do not affect respirator performance.
5. Do not alter, modify, or abuse this respirator.
6. Store unused respirators in box/bag in a clean, dry, non-contaminated area.
7. Dispose of respirator according to your employer's policy and local regulations.
8. Dispose no later than thirty days after first use.
9. Use respirator before the "use by" expiration date printed on box/bag.
10. If used for welding, wear appropriate eye and face protection.

TECHNICAL SERVICE LINE

For technical assistance, call Moldex Technical Service Department at +1 (310) 837-6500 ext. 512/550 or +1 (800) 421-0668 ext. 512/550.

WARNINGS TO USER

1. Follow all instructions and warnings on the use of this respirator and wear during all times of exposure. Failure to do so will reduce respirator effectiveness, wearer protection and may result in sickness or death.
2. Before use, the user must first be trained by the employer in proper respirator use, in accordance with applicable safety and health standards, for the contaminant and exposure level in the assigned work area.
3. The particulates and other contaminants which can be dangerous to your health include those which you cannot see, taste, or smell.
4. This product has not been sold with warnings or use instructions for personnel involved in healthcare or related situations, where there may be the possibility of contact with disease or biological hazards. If you are considering such uses, first call the Moldex Technical Service Dept., +1 (310) 837-6500 ext. 512/550 or +1 (800) 421-0668 ext. 512/550.

LIMITED WARRANTY – IMPORTANT NOTICE TO PURCHASER

This limited warranty is made in lieu of the warranties of merchantability, fitness for particular purposes and all other warranties, express or implied. There are no other warranties which extend beyond the description on the face hereof. The physical standards and specifications of Moldex will be met by products sold. Exclusive Remedies: damages for the breach of this limited warranty are limited to the replacement of such quantity of Moldex products proved to be defectively manufactured. Except as provided above, Moldex shall not be liable or responsible for any loss, damages, or liability, direct, indirect, incidental, special or consequential, arising out of a sale, use or misuse, or the inability to use products by the user.

DISTRIBUTED BY:

MOLDEX-METRIC, INC. AUSTRALIA

Unit 30/14-16 Stanton Road, Seven Hills, NSW 2147
TEL: +61 (02) 9838 7588 FAX: +61 (02) 9838 7544
E-mail: moldexaustralia@moldex.com www.moldex.com

NEW ZEALAND

3 Spence Road, Henderson, Auckland, NZ
TEL: +64 (9) 837 8247 FAX: +64 (9) 837 8248
E-mail: moldexnz@moldex.com www.moldex.com

Moldex, Ideas that wear well, Dura-Mesh and the PVC-Free logo are registered trademarks. Patents Pending. FlexFit, AirWave the waved design and the mesh design are trademarks of Moldex-Metric, Inc.
©2011 Moldex-Metric, Inc.

4200A-807 REV A 11/11



Made in
U.S.A.



Printed on Recycled Paper

